



300 Barr Harbor Drive
Suite 250
W. Conshohocken, PA 19428
Tel: (610) 828-6929 • (800) 227-4287

Product Data

Magnesite 33

-200 Mesh

Magnesite 33 -200 is a sized, naturally occurring magnesite ore (magnesium carbonate), selectively quarried from deposits in Nevada. Magnesite is used as a filler, adsorbent and flux and source of magnesium for animal feeds.

CHEMICAL ANALYSIS			
	Typical	Maximum	Minimum
(As-Is Basis)			
LOI, 1000°C	49.5	50.2	47.8
MgO	46.0		45.2
Mg	27.7		27.3
CaO	1.9		
R ₂ O ₃	0.8		
Insolubles	1.8	2.3	
PHYSICAL PROPERTIES			
Bulk Density, lb/ft³	75		
SCREEN ANALYSIS, wt% (U.S.A. Series)			
+100 mesh	0.0	1.0	
+200 mesh	2.0	4.0	
+325 mesh	8.0		
-325 mesh	90.0		

PACKAGING AND STORAGE:

Magnesite 33 -200 is available in bulk and 80 pound 4-ply paper bags with free film polyethylene liner.

MC-FPS-714
MAS: 10/22/02

Visit our Web Site <http://www.premierchemicals.com>